


WorkForce Pro WF-C579RDTWF

DATASHEET / BROCHURE



Our latest A4 RIPS MFD delivers fast print, scan and copy speeds with a smaller footprint, low TCO and low environmental impact.

Increase your business productivity with less intervention, a fast first page out time, and secure printing rules and workflow processes, all while reducing your printing costs and environmental impact. High ink yields of up to 50,000 pages in black and 20,000 in colour, fast duplex scanning speeds, and a wide-range of workflow solutions for businesses make this a powerhouse for offices.

Low running costs

High ink yields lower the need to order and replace supplies frequently, and help to deliver predictable print costs and a competitive Total Cost of Ownership (TCO). Also, inkjet technology with fewer replacement parts, lowers the hidden costs of servicing and intervention.

High productivity

A fast First Page Out Time (FPOT) of 4.8 secs in black and 5.3 secs in colour from ready mode, print speeds of up to 24ppm in colour and mono (ISO speed), and a fast duplex scan speed of 60ipm help to keep productivity high. An improved durability of 240k pages helps print more for longer. A maximum paper capacity of 1,330 sheets means less time spent refilling.

Low environmental impact

In addition to speeding up printing, the lack of heat needed by our inkjet technology also helps to cut the environmental impact of print by providing a low power solution with fewer supplies. The high ink yield means less waste from supplies, and you can rest assured from a lack of toner dust and ozone gas emissions.

Built for business

It's compatible with a wide-range of solutions. Boost productivity and monitor print usage via server-based Epson Print Admin; control, analyse and manage your printer fleet with Epson Device Admin; or manage advanced push scan functions with Document Capture Pro. Benefit from our partner solutions like Nuance, PaperCut and Y Soft that can be adapted to meet specific business needs.

KEY FEATURES

- **Low running costs**
Benefit from a low Total Cost of Ownership
- **Fast FPOT**
4.8secs in black and 5.3 secs in colour from ready mode
- **High scan speeds**
60ipm single-pass duplex ADF
- **Lower your environmental impact**
Low energy consumption reduces CO2 footprint, no ozone gas emissions
- **Use with a wide range of solutions**
Print and scan management software

PRODUCT SPECIFICATIONS

TECHNOLOGY

| | |
|----------------------|--|
| Printing Method | PrecisionCore™ Print Head |
| Nozzle Configuration | 800 Nozzles Black, 800 Nozzles per Color |
| Minimum Droplet Size | 3.8 pl, With Variable-Sized Droplet Technology |
| Ink Technology | Replaceable Ink Pack System (RIPS) |
| Category | Office Workgroup |
| All-in-One Functions | Print, Scan, Copy, Fax |

PRINT

| | |
|-------------------------------------|---|
| First Page Out | Monochrome 4.8 Seconds, Colour 5.3 Seconds |
| Printing Speed ISO/IEC 24734 | 24 pages/min Monochrome, 24 pages/min Colour |
| Duplex Printing Speed ISO/IEC 24734 | 15 A4 Pages/min Monochrome, 15 A4 Pages/min Colour |
| Maximum Printing Speed | 34 pages/min Monochrome (plain paper 75 g/m ²), 34 pages/min Colour (plain paper 75 g/m ²) |
| Printing Resolution | 4,800 x 1,200 DPI |
| Printing Volume | 50,000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities. |
| Recommended Duty Cycle | 400 - 4,500 pages per month |
| Colors | Black, Cyan, Yellow, Magenta |

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

| | |
|-------------------------------|---|
| Scanning Speed | 30 ipm (Monochrome, Single-sided, 200 dpi, ADF); 30 ipm (Colour, Single-sided, 200 dpi, ADF); 60 ipm (Monochrome, Double-sided, 200 dpi, ADF); 60 ipm (Colour, Double-sided, 200 dpi, ADF); 5 sec/page (Monochrome, 200 dpi, Flatbed); 5 sec/page (Colour, 200 dpi, Flatbed); |
| Optical Resolution | 1,200 DPI x 2,400 DPI (Horizontal x Vertical) |
| Optical Resolution (ADF) | 1,200 DPI x 2,400 DPI (Horizontal x Vertical) |
| Advanced document integration | Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device / Card |
| Output formats | JPEG, TIFF, PDF |
| Scanner type | Contact image sensor (CIS) |

FAX

| | |
|------------------------|--|
| Type of fax | Walk-up black and white and colour fax capability |
| Fax Transmission Speed | Up to 33.6kbps / Approx. 3 sec/page |
| Error correction mode | CCITU/ITU Group3 fax with Error Correction Mode |
| Fax speed dials (max) | 200 names and numbers |
| Page memory | Up to 550 pages/ 6MB (ITU-T No. 1 chart) |
| Fax Functions | PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Speed Dial, Fax to Folder, Address Book, Broadcast Fax |

WorkForce Pro WF-C579RDTWF

WHAT'S IN THE BOX

- Warranty Documents
- Quick Setup Guide
- Driver and utilities (CD)
- User manual (CD)
- Power cable
- Initialization Ink Supply Units

PRODUCT SPECIFICATIONS

WorkForce Pro WF-C579RDTWF

COPY

| | |
|--------------------------|---|
| Copy Speed | Up to 22 ipm Black, Up to 22 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/IEC 24735) |
| Copy resolution (dpi) | 600 x 1200 |
| Reduction / Enlargement | 25 % - 400 % |
| Maximum number of copies | 999 |
| Maximum Copy Size | A4 |

CONNECTIVITY

| | |
|--------------------------------|---|
| Network Printing Protocols | LPR, FTP, IPP, LDP, Port 9100, WSD-Print |
| Network Management Protocols | HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNMP, ENPC, SLP, WSD, LLTD, SMTP, LLMNR, POP3, IEEE 802.1X, ARP, GARP, EAP, ICMP, IGMP, DNS-SD, HTTPS, XMPP, LDAP, LDAPS, SNMP 3.0, SNMP Trap |
| Network Scanning Protocols | WSD-Scan, FTP |
| Interfaces | Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/100-Base TX/10-Base-T), Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 2.0 Type A (2x) |
| WLAN Security Network Protocol | WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES) TCP/IPv4, TCP/IPv6, HTTP, HTTPS, IPSEC |

PAPER / MEDIA HANDLING

| | |
|---------------------------------|--|
| Paper Formats | A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, Legal, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, EXE, User defined |
| Automatic Document Feed | 50 pages |
| Compatible Paper Weight | 64 g/m ² - 256 g/m ² |
| Duplex | Yes |
| Standard Paper input | 830 Sheets Standard, 80 Sheets MP tray, 750 Sheets paper tray |
| Output Tray Capacity | 150 Sheets |
| Paper Tray Capacity | 830 Sheets Standard, 1,330 Sheets Maximum |
| Standard paper tray(s) | 80-Sheet Multi-Purpose Tray, 250-sheet paper tray, 500-Sheet paper tray |
| Optional paper tray(s) | 500-Sheet paper tray |
| Rear paper path (special media) | Yes |
| Number of paper trays | 3 |

PAPER FEED RASF

| | |
|-------------------------|--|
| Paper Input Name | RASF |
| Paper Formats | A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, Legal, Executive |
| Custom sizes | Min 64x 127 mm to Max 215.9x 6,000 mm |
| Compatible paper weight | 64 g/m ² - 300 g/m ² |
| Paper Capacity 1 | 80 Sheets of Plain Paper, 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper |

PAPER FEED C1

| | |
|-------------------------|--|
| Paper Input Name | C1 |
| Paper Formats | A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, HLT, Executive |
| Custom sizes | Min 89x 127 mm to Max 215.9x 355.6 mm |
| Compatible paper weight | 64 g/m ² - 300 g/m ² |
| Paper Capacity 1 | 250 Sheets of Plain Paper, 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper |

PAPER FEED C2

| | |
|-------------------------|---|
| Paper Input Name | C2 |
| Paper Formats | A4, A5, A6, B5, B6, Letter, HLT, LGL, Executive |
| Custom sizes | Min 100x 148 mm to Max 215.9x 355.6 mm |
| Compatible paper weight | 64 g/m ² - 160 g/m ² |
| Paper Capacity 1 | 500 Sheets of Plain Paper, 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

PRODUCT SPECIFICATIONS

WorkForce Pro WF-C579RDTWF

PAPER FEED DUPLEX

| | |
|-------------------------|---|
| Paper Input Name | Duplex |
| Paper Formats | A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive |
| Custom sizes | Min 148x 210 mm to Max 216x 297 mm |
| Compatible paper weight | 64 g/m ² - 160 g/m ² |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

PAPER FEED C3

| | |
|-------------------------|---|
| Paper Input Name | C3 |
| Paper Formats | A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive |
| Custom sizes | Min 100x 148 mm to Max 215.9x 355.6 mm |
| Compatible paper weight | 64 g/m ² - 160 g/m ² |
| Paper Capacity 1 | 500 Sheets of Plain Paper, 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

GENERAL

| | |
|------------------------------------|--|
| Energy Use | 29 Watt (standalone copying, ISO/IEC 24712 pattern), 1.3 Watt (sleep mode), 14 Watt (Ready), 0.2 Watt (Power off), TEC 0.26 kWh/week |
| Supply Voltage | AC 220 V - 240 V, 50 Hz - 60 Hz |
| Product dimensions | 425 x 535 x 513 mm (Width x Depth x Height) |
| Product weight | 25.8 kg |
| Compatible Operating Systems | Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, XP Professional x64 Edition, XP Professional x64 Edition SP2 |
| Sound Power | Operation: 6.7 B (A) |
| Noise | Operation: 53 dB (A) |
| Mobile and Cloud printing services | Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Google Cloud Print |
| Power supply | 220V, 240V |

ADDITIONAL FEATURES

| | |
|--------------------|--|
| Features | Touchscreen, Bluetooth, Direct Print, Direct scan-to-print without PC, Direct print from USB |
| Panel | Type: Color, Touchscreen, Diagonal: 10.9 cm |
| Media Handling | ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support |
| Security Functions | Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode |

OTHER FEATURES

| | |
|------------|---|
| Emulations | PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7 |
|------------|---|

OTHER

| | |
|----------|---------------------------|
| Warranty | 12 months On-site service |
|----------|---------------------------|

SUPPLIES

| | | |
|--|------------|--------------|
| ● WorkForce Pro WF-C529R / C579R Magenta XL Ink Supply Unit | C13T01C300 | 5,000 pages |
| ● WorkForce Pro WF-C529R / C579R Yellow XL Ink Supply Unit | C13T01C400 | 5,000 pages |
| ● WorkForce Pro WF-C529R / C579R Cyan XL Ink Supply Unit | C13T01C200 | 5,000 pages |
| ● WorkForce Pro WF-C529R / C579R Black XL Ink Supply Unit | C13T01C100 | 10,000 pages |
| ● WorkForce Pro WF-C529R / C579R Black XXL Ink Supply Unit | C13T01D100 | 50,000 pages |
| ● WorkForce Pro WF-C529R / C579R Cyan XXL Ink Supply Unit | C13T01D200 | 20,000 pages |
| ● WorkForce Pro WF-C529R / C579R Magenta XXL Ink Supply Unit | C13T01D300 | 20,000 pages |
| ● WorkForce Pro WF-C529R / C579R Yellow XXL Ink Supply Unit | C13T01D400 | 20,000 pages |
| ● Maintenance box | C13T671600 | |

OPTIONAL ACCESSORIES

- 500-Sheet Paper Cassette
C12C932871
- Medium Cabinet for WF-5000 series
7112285
- Low Cabinet for WF-5000 series
7112286

LOGISTICS INFORMATION

| | |
|-------------|---------------|
| SKU | C11CG77401BC |
| EAN code | 8715946654799 |
| Layer | 2 Units |
| Layer Block | 2 Units |

WorkForce Pro WF-C579RDTWF

INK YIELD DATA



● 10,000 pages* 50,000 pages*

●●● 5,000 pages* 20,000 pages*

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>



For more information please contact:

Home users: 0343 90 37766
Business users*: 0871 42 37766
Republic of Ireland: 01 436 7742
Or visit us at <https://www.epson.co.uk/contactus>
* 10p per minute plus network extras.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.
Last extracted: 2020-02-21

EPSON®